



PFS test work program for beneficiation of lithium mineral samples

Draft Report

Please, contact our Investor Relations manager

E-mail: i.zholonkivskyi@ukrlithium.com

Mobile: +38 067 523 80 72

and request a full 216-page version of this report.

**Dorfner Analysenzentrum und
Anlagenplanungsgesellschaft mbH (ANZAPLAN)**

Scharhof 1
92242 Hirschau
Germany

08.11.2021

Table of contents

1	Introduction	18
2	Applied techniques and procedures.....	20
2.1	Mineralogical analyses.....	20
2.1.1	X-ray diffraction	20
2.1.2	Mineral liberation analysis (MLA)	20
2.2	Chemical analyses.....	21
2.2.1	Chemical analysis by X-ray fluorescence spectroscopy	21
2.2.2	Loss on ignition	21
2.2.3	Lithium, rubidium analysis by Na ₂ O ₂ fusion.....	21
2.3	Particle size distribution	21
2.4	Mineral processing	21
2.4.1	Comminution	21
2.4.2	Classification	22
2.4.3	Heavy liquid separation (HLS)	22
2.4.4	Wet high gradient magnetic separation	22
2.4.5	Attrition scrubbing	23
2.4.6	Flotation.....	23
3	Analyses and test results	24
3.1	Previous ANZAPLAN test work 211613324	24
3.2	Sample characterization	25
3.2.1	Petrography.....	29
3.3	Mineral processing tests	41
3.3.1	HLS	41
3.3.1.1	Preparation of samples.....	41
3.3.1.2	HLS tests.....	43
3.3.2	Overview magnetic separation and flotation test work.....	46

3.3.3	Grind size selection.....	47
3.3.3.1	Mineral liberation analyses.....	48
3.3.3.2	Magnetic separation and flotation	53
3.3.4	Desliming test work	59
3.3.5	Mica flotation	63
3.3.6	Petalite flotation	68
3.3.7	Confirmatory flotation test.....	74
3.3.8	Locked cycle tests	75
3.3.9	Regrinding.....	86
3.3.10	Byproduct flotation	89
3.4	Conclusions.....	92
4	Disclaimer	95
5	Appendix.....	97

List of tables

Table 1:	Sample composition of the fine grained sample.....	26
Table 2:	Sample composition of the coarse grained sample.....	26
Table 3:	Chemical analysis of fine and coarse mixed sample material for test work.....	27
Table 4:	Sample UCM1	30
Table 5:	Sample UCM2	32
Table 6:	Sample UFM1	35
Table 7:	Sample UFM2	38
Table 8:	Mass balance of sample preparation for HLS test work on UKR core sample.....	42
Table 9:	Calculated cumulative results of HLS tests, enriched fractions	45
Table 10:	Calculated cumulative results of HLS tests, corresponding reduced fractions	45
Table 11:	Conditions of desliming DSF1-3 and DSC 4-6.....	48
Table 12:	Modal mineralogy calculated from MLA data; tabular form...	50
Table 13:	Conditions of magnetic separation tests MSF1-3 and MSC 4-6	53
Table 14:	Summary of flotation conditions used in the open circuit full flow sheet tests for the optimization of the mica flotation step	65
Table 15:	Petalite optimization open circuit test – Summary of conditions and results	73
Table 16:	Summary of results of LCT1 (cycles 1 to 6); chemical analysis, mineralogical composition, and distribution	79
Table 17:	Summary of results of LCT1 (cycles 4 to 6); chemical analysis, mineralogical composition, and distribution	80
Table 18:	Summary of results of LCT2 (cycles C1 to 8); chemical analysis, mineralogical composition, and distribution	84

Table 19:	Summary of results of LCT2 (cycles C6 to 8); chemical analysis, mineralogical composition, and distribution	85
Table 20:	Summary of results of byproduct flotation FLF-BP1	90
Table 21:	Test parameters of heavy liquid separation HLS F1, fine grained material	97
Table 22:	Calculated combined fractions of heavy liquid separation HLS F1, fine grained material	98
Table 23:	Test parameters of grinding MLF1, fine grained material	99
Table 24:	Test parameters of grinding MLF2, fine grained material	100
Table 25:	Test parameters of grinding MLF3, fine grained material	101
Table 26:	Test parameters of grinding MLF4, fine grained material	102
Table 27:	Test parameters of grinding MLF5, fine grained material	103
Table 28:	Test parameters of grinding MLF6, fine grained material	104
Table 29:	Test parameters of grinding MLF7, fine grained material	105
Table 30:	Cumulative particle size distribution of selected samples (1/9)	106
Table 31:	Cumulative particle size distribution of selected samples (2/9)	107
Table 32:	Cumulative particle size distribution of selected samples (3/9)	108
Table 33:	Cumulative particle size distribution of selected samples (4/9)	109
Table 34:	Cumulative particle size distribution of selected samples (5/9)	110
Table 35:	Cumulative particle size distribution of selected samples (6/9)	111
Table 36:	Cumulative particle size distribution of selected samples (7/9)	112
Table 37:	Cumulative particle size distribution of selected samples (8/9)	113

Table 38:	Cumulative particle size distribution of selected samples (9/9)	114
Table 39:	Test parameters and results of desliming DSF1, fine grained	115
Table 40:	Test parameters and results of desliming DSF2, fine grained material	116
Table 41:	Test parameters and results of desliming DSF3, fine grained material	117
Table 42:	Test parameters and results of desliming DSF7, fine grained material	118
Table 43:	Test parameters and results of desliming DSF8, fine grained material	119
Table 44:	Test parameters and results of desliming DSF9, fine grained material	120
Table 45:	Test parameters and results of desliming DSF10, fine grained material	121
Table 46:	Test parameters and results of desliming DSF11, fine grained material	122
Table 47:	Test parameters and results of desliming DSF12, fine grained material	123
Table 48:	Test parameters and results of desliming DSF13, fine grained material	124
Table 49:	Test parameters and results of magnetic separation MSF1, fine grained material	125
Table 50:	Test parameters and results of magnetic separation MSF2, fine grained material	126
Table 51:	Test parameters and results of magnetic separation MSF3, fine grained material	127
Table 52:	Test parameters and results of magnetic separation MSF7, fine grained material	128

Table 53:	Test parameters and results of magnetic separation MSF8, fine grained material	129
Table 54:	Test parameters and results of magnetic separation MSF9, fine grained material	130
Table 55:	Test parameters and results of magnetic separation MSF10, fine grained material	131
Table 56:	Test parameters and results of magnetic separation MSF11, fine grained material	132
Table 57:	Test parameters and results of magnetic separation MSF12, fine grained material	133
Table 58:	Test parameters and results of magnetic separation MSF13, fine grained material	134
Table 59:	Test parameters of flotation FLF1, fine grained material	135
Table 60:	Test results of flotation FLF1, fine grained material.....	136
Table 61:	Test parameters of flotation FLF2, fine grained material	137
Table 62:	Test results of flotation FLF2, fine grained material.....	138
Table 63:	Test parameters of flotation FLF3, fine grained material	139
Table 64:	Test results of flotation FLF3, fine grained material.....	140
Table 65:	Test parameters of flotation FLF7, fine grained material	141
Table 66:	Test results of flotation FLF7, fine grained material.....	142
Table 67:	Test parameters of flotation FLF8, fine grained material	143
Table 68:	Test results of flotation FLF8, fine grained material.....	144
Table 69:	Test parameters of flotation FLF9, fine grained material	145
Table 70:	Test results of flotation FLF9, fine grained material.....	146
Table 71:	Test parameters of flotation FLF13, fine grained material ...	147
Table 72:	Test results of flotation FLF13, fine grained material.....	148
Table 73:	Test parameters of flotation FLF14, fine grained material ...	149
Table 74:	Test results of flotation FLF14, fine grained material.....	150
Table 75:	Test parameters of flotation FLF15, fine grained material ...	151
Table 76:	Test results of flotation FLF15, fine grained material.....	152
Table 77:	Test parameters of flotation FLF16, fine grained material ...	153

Table 78:	Test results of flotation FLF16, fine grained material	154
Table 79:	Test parameters of flotation FLF17, fine grained material ...	155
Table 80:	Test results of flotation FLF17, fine grained material	156
Table 81:	Test parameters of flotation FLF18, fine grained material ...	157
Table 82:	Test results of flotation FLF18, fine grained material	158
Table 83:	Test parameters of kinetic flotation FLF19 Kin, fine grained material	158
Table 84:	Test results of flotation FLF19 Kin, fine grained material	159
Table 85:	Test parameters and results of kinetic flotation FLF20 Kin, fine grained material	160
Table 86:	Test parameters and results of kinetic flotation FLF21 Kin, fine grained material	161
Table 87:	Test parameters of flotation FLF22, fine grained material ...	162
Table 88:	Test results of flotation FLF22, fine grained material	163
Table 89:	Test parameters of flotation FLF23, fine grained material ...	164
Table 90:	Test results of flotation FLF23, fine grained material	165
Table 91:	Test parameters of flotation FLF24, fine grained material ...	166
Table 92:	Test results of flotation FLF24, fine grained material	167
Table 93:	Test parameters of kinetic flotation FLF25 Kin , fine grained material	168
Table 94:	Test results of flotation FLF25 Kin, fine grained material	169
Table 95:	Test parameters of flotation FLF26, fine grained material ...	170
Table 96:	Test results of flotation FLF26, fine grained material	171
Table 97:	Test parameters of flotation FLF27, fine grained material ...	172
Table 98:	Test results of flotation FLF27, fine grained material	173
Table 99:	Test parameters of flotation FLF28, fine grained material ...	174
Table 100:	Test results of flotation FLF28, fine grained material	175
Table 101:	Test parameters of flotation FLF29, fine grained material ...	176
Table 102:	Test results of flotation FLF29, fine grained material	177
Table 103:	Test parameters of flotation FLF30, fine grained material ...	178
Table 104:	Test results of flotation FLF30, fine grained material	179

Table 105: Test parameters of flotation FLF31, fine grained material ...	180
Table 106: Test results of flotation FLF31, fine grained material	181
Table 107: Test parameters of flotation FLF32, fine grained material ...	182
Table 108: Test results of flotation FLF32, fine grained material	183
Table 109: Test parameters of flotation FLF33, fine grained material ...	184
Table 110: Test results of flotation FLF33, fine grained material	185
Table 111: Test parameters of flotation FLF34, fine grained material ...	186
Table 112: Test results of flotation FLF34, fine grained material	187
Table 113: Test parameters of flotation FLF36, fine grained material ...	188
Table 114: Test results of flotation FLF36, fine grained material	189
Table 115: Test parameters of locked cycle flotation LCT1, fine grained material (1/3)	190
Table 116: Test parameters of locked cycle flotation LCT1, fine grained material (2/3)	191
Table 117: Test parameters of locked cycle flotation LCT1, fine grained material (3/3)	192
Table 118: Results of locked cycle flotation LCT1, fine grained material	193
Table 119: Test parameters of locked cycle flotation LCT2, fine grained material (1/3)	194
Table 120: Test parameters of locked cycle flotation LCT2, fine grained material (2/3)	195
Table 121: Test parameters of locked cycle flotation LCT2, fine grained material (3/3)	196
Table 122: Results of locked cycle flotation LCT2, fine grained material	197
Table 123: Test parameters and results of by-product flotation FLF-BP1, fine grained material	198
Table 124: Test parameters of heavy liquid separation HLS C1, coarse grained material	199

Table 125: Calculated combined fractions of heavy liquid separation HLS C1, coarse grained material.....	200
Table 126: Test parameters of grinding MLC1, coarse grained material	201
Table 127: Test parameters of grinding MLC2, coarse grained material	202
Table 128: Test parameters of grinding MLC3, coarse grained material	203
Table 129: Test parameters and results of desliming DSC4, coarse grained material	204
Table 130: Test parameters and results of desliming DSC5, coarse grained material	205
Table 131: Test parameters and results of desliming DSC6, coarse grained material	206
Table 132: Test parameters and results of magnetic separation MSC4, coarse grained material	207
Table 133: Test parameters and results of magnetic separation MSC5, coarse grained material	208
Table 134: Test parameters and results of magnetic separation MSC6, coarse grained material	209
Table 135: Test parameters and results of flotation FLC4, coarse grained material	210
Table 136: Test parameters and results of flotation FLC5, coarse grained material	211
Table 137: Test parameters and results of flotation FLC6, coarse grained material	212
Table 138: Test parameters and results of flotation FLC10, coarse grained material	213
Table 139: Test parameters and results of flotation FLC11, coarse grained material	214
Table 140: Test parameters and results of flotation FLC12, coarse grained material	215
Table 141: Test parameters and results of flotation FLC13, coarse grained material	216

List of figures

Figure 3:	XRD pattern of met recovery fine grained sample.....	28
Figure 4:	XRD pattern of met recovery coarse grained sample.....	28
Figure 5:	Sample UCM1	30
Figure 6:	Micrographs sample UCM1	31
Figure 7:	Sample UCM2	33
Figure 8:	Micrographs sample UCM2	34
Figure 9:	Sample UFM1	36
Figure 10:	Micrographs sample UFM1	37
Figure 11:	Sample UFM2	39
Figure 12:	Micrographs sample UFM2	40
Figure 13:	Test work flow sheet for preparation of a sample for HLS tests	42
Figure 14:	Lithium grade and recovery of heavy liquid separation tests (locked cycle)	44
Figure 15:	Simplified block flow diagram applied for magnetic separation and flotation test work.....	47
Figure 16:	Modal mineralogy calculated from MLA data; visualized	49
Figure 17:	Mineral liberation and association of petalite, visualized	52
Figure 18:	Flow sheet of the test work conducted for grain size selection	54
Figure 19:	Lithium grade recovery curve of grind size selection test work – initial and adopted flotation regime - fine grained composite	57
Figure 20:	Lithium grade recovery curve of grind size selection test work – initial and adopted flotation regime – coarse grained composite	57

Figure 21: Lithium grade recovery curve of grind size selection test work – initial and adopted flotation regime - fine grained composite	58
Figure 22: Lithium grade recovery curve of desliming optimization test - fine grained composite.....	61
Figure 23: Flow sheet of flotation test FLF13 including preparation with mass and lithium balance.....	62
Figure 24: Lithium grade and LOI as a function of flotation time in the mica rougher concentrate, FLF19 Kin.....	64
Figure 25: Lithium grade and LOI as a function of flotation time in the mica scavenger concentrate, FLF20 Kin.....	64
Figure 26: Lithium grade and LOI as a function of flotation time in the mica scavenger concentrate, FLF21 Kin.....	65
Figure 27: Lithium grade recovery curve of mica flotation optimization tests -fine grained composite.....	66
Figure 28: Flow sheet of flotation test FLF24 including preparation with mass and lithium balance.....	67
Figure 29: Lithium grade as a function of flotation time in the petalite flotation, FLF25 Kin	69
Figure 30: Lithium grade recovery curve of petalite flotation optimization tests -FLF26 compared to FLF13 and FLF24	70
Figure 31: Flow sheet of flotation test FLF26 including preparation with mass and lithium balance.....	71
Figure 32: Lithium grade recovery curve of petalite flotation optimization tests -FLF26 to FLF 32	72
Figure 33: Lithium grade recovery curve of petalite flotation confirmatory test FLC13.....	75
Figure 34: Lithium balance of LCT1 as an indication of the stability of the test work	77
Figure 35: Flow sheet of flotation locked cycle test LCT1	78

Figure 36: Lithium balance of LCT 2 as an indication of the stability of the test work	82
Figure 37: Flow sheet of open circuit flotation test FLF33 including regrinding of tailings streams	87
Figure 38: Flow sheet of open circuit flotation test FLF33 including regrinding of tailings streams; including mass and lithium balance.....	88
Figure 39: Flow sheet of feldspar flotation test as byproduct flotation FLF-BP1	90
Figure 40: Lithium grade and recovery curve including results from open circuit, regrinding and recycling (locked cycle).....	93
Figure 41: Lithium grade and recovery curve of HLS separation including results from flotation for comparison	94

Please, contact our Investor Relations manager

E-mail: i.zholonkivskyi@ukrlithium.com

Mobile: +38 067 523 80 72

and request a full 216-page version of this report.